

Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
68.75	1589	11000110101
68.80	1590	11000110110
68.85	1591	11000110111
68.90	1592	11000111000
68.95	1593	11000111001
69.00	1594	11000111010
69.05	1595	11000111011
69.10	1596	11000111100
69.15	1597	11000111101
69.20	1598	11000111110
69.25	1599	11000111111
69.30	1600	11001000000
69.35	1601	11001000001
69.40	1602	11001000010
69.45	1603	11001000011
69.50	1604	11001000100
69.55	1605	11001000101
69.60	1606	11001000110
69.65	1607	11001000111
69.70	1608	11001001000
69.75	1609	11001001001
69.80	1610	11001001010
69.85	1611	11001001011
69.90	1612	11001001100
69.95	1613	11001001101
70.00	1614	11001001110
70.05	1615	11001001111
70.10	1616	11001010000
70.15	1617	11001010001
70.20	1618	11001010010
70.25	1619	11001010011
70.30	1620	11001010100
70.35	1621	11001010101
70.40	1622	11001010110
70.45	1623	11001010111
70.50	1624	11001011000
70.55	1625	11001011001
70.60	1626	11001011010

Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
71.10	1636	11001100100
71.15	1637	11001100101
71.20	1638	11001100110
71.25	1639	11001100111
71.30	1640	11001101000
71.35	1641	11001101001
71.40	1642	11001101010
71.45	1643	11001101011
71.50	1644	11001101100
71.55	1645	11001101101
71.60	1646	11001101110
71.65	1647	11001101111
71.70	1648	11001110000
71.75	1649	11001110001
71.80	1650	11001110010
71.85	1651	11001110011
71.90	1652	11001110100
71.95	1653	11001110101
72.00	1654	11001110110
72.05	1655	11001110111
72.10	1656	11001111000
72.15	1657	11001111001
72.20	1658	11001111010
72.25	1659	11001111011
72.30	1660	11001111100
72.35	1661	11001111101
72.40	1662	11001111110
72.45	1663	11001111111
72.50	1664	11010000000
72.55	1665	11010000001
72.60	1666	11010000010
72.65	1667	11010000011
72.70	1668	11010000100
72.75	1669	11010000101
72.80	1670	11010000110
72.85	1671	11010000111
72.90	1672	11010001000
72.95	1673	11010001001
73.00	1674	11010001010
73.05	1675	11010001011
73.10	1676	11010001100
73.15	1677	11010001101
73.20	1678	11010001110
73.25	1679	11010001111
73.30	1680	11010010000
73.35	1681	11010010001
73.40	1682	11010010010

Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
73.45	1683	11010010011
73.50	1684	11010010100
73.55	1685	11010010101
73.60	1686	11010010110
73.65	1687	11010010111
73.70	1688	11010011000
73.75	1689	11010011001
73.80	1690	11010011010
73.85	1691	11010011011
73.90	1692	11010011100
73.95	1693	11010011101
74.00	1694	11010011110
74.05	1695	11010011111
74.10	1696	11010100000
74.15	1697	11010100001
74.20	1698	11010100010
74.25	1699	11010100011
74.30	1700	11010100100
74.35	1701	11010100101
74.40	1702	11010100110
74.45	1703	11010100111
74.50	1704	11010101000
74.55	1705	11010101001
74.60	1706	11010101010
74.65	1707	11010101011
74.70	1708	11010101100
74.75	1709	11010101101
74.80	1710	11010101110
74.85	1711	11010101111
74.90	1712	11010110000
74.95	1713	11010110001
75.00	1714	11010110010
75.05	1715	11010110011
75.10	1716	11010110100
75.15	1717	11010110101
75.20	1718	11010110110
75.25	1719	11010110111
75.30	1720	11010111000
75.35	1721	11010111001
75.40	1722	11010111010
75.45	1723	11010111011
75.50	1724	11010111100
75.55	1725	11010111101
75.60	1726	11010111110
75.65	1727	11010111111
75.70	1728	11011000000
75.75	1729	11011000001

Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
75.80	1730	11011000010
75.85	1731	11011000011
75.90	1732	11011000100
75.95	1733	11011000101
76.00	1734	11011000110
76.05	1735	11011000111
76.10	1736	11011001000
76.15	1737	11011001001
76.20	1738	11011001010
76.25	1739	11011001011
76.30	1740	11011001100
76.35	1741	11011001101
76.40	1742	11011001110
76.45	1743	11011001111
76.50	1744	11011010000
76.55	1745	11011010001
76.60	1746	11011010010
76.65	1747	11011010011
76.70	1748	11011010100
76.75	1749	11011010101
76.80	1750	11011010110
76.85	1751	11011010111
76.90	1752	11011011000
76.95	1753	11011011001
77.00	1754	11011011010
77.05	1755	11011011011
77.10	1756	11011011100
77.15	1757	11011011101
77.20	1758	11011011110
77.25	1759	11011011111
77.30	1760	11011100000
77.35	1761	11011100001
77.40	1762	11011100010
77.45	1763	11011100011
77.50	1764	11011100100
77.55	1765	11011100101
77.60	1766	11011100110
77.65	1767	11011100111
77.70	1768	11011101000
77.75	1769	11011101001
77.80	1770	11011101010
77.85	1771	11011101011
77.90	1772	11011101100
77.95	1773	11011101101
78.00	1774	11011101110
78.05	1775	11011101111
78.10	1776	11011110000

Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
78.15	1777	11011110001
78.20	1778	11011110010
78.25	1779	11011110011
78.30	1780	11011110100
78.35	1781	11011110101
78.40	1782	11011110110
78.45	1783	11011110111
78.50	1784	11011111000
78.55	1785	11011111001
78.60	1786	11011111010
78.65	1787	11011111011
78.70	1788	11011111100
78.75	1789	11011111101
78.80	1790	11011111110
78.85	1791	11011111111
78.90	1792	11100000000
78.95	1793	11100000001
79.00	1794	11100000010
79.05	1795	11100000011
79.10	1796	11100000100
79.15	1797	11100000101
79.20	1798	11100000110
79.25	1799	11100000111
79.30	1800	11100001000
79.35	1801	11100001001
79.40	1802	11100001010
79.45	1803	11100001011
79.50	1804	11100001100
79.55	1805	11100001101
79.60	1806	11100001110
79.65	1807	11100001111
79.70	1808	11100010000
79.75	1809	11100010001
79.80	1810	11100010010
79.85	1811	11100010011
79.90	1812	11100010100
79.95	1813	11100010101
80.00	1814	11100010110
80.05	1815	11100010111
80.10	1816	11100011000
80.15	1817	11100011001
80.20	1818	11100011010
80.25	1819	11100011011
80.30	1820	11100011100
80.35	1821	11100011101
80.40	1822	11100011110
80.45	1823	11100011111

Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
80.50	1824	11100100000
80.55	1825	11100100001
80.60	1826	11100100010
80.65	1827	11100100011
80.70	1828	11100100100
80.75	1829	11100100101
80.80	1830	11100100110
80.85	1831	11100100111
80.90	1832	11100101000
80.95	1833	11100101001
81.00	1834	11100101010
81.05	1835	11100101011
81.10	1836	11100101100
81.15	1837	11100101101
81.20	1838	11100101110
81.25	1839	11100101111
81.30	1840	11100110000
81.35	1841	11100110001
81.40	1842	11100110010
81.45	1843	11100110011
81.50	1844	11100110100
81.55	1845	11100110101
81.60	1846	11100110110
81.65	1847	11100110111
81.70	1848	11100111000
81.75	1849	11100111001
81.80	1850	11100111010
81.85	1851	11100111011
81.90	1852	11100111100
81.95	1853	11100111101
82.00	1854	11100111110
82.05	1855	11100111111
82.10	1856	11101000000
82.15	1857	11101000001
82.20	1858	11101000010
82.25	1859	11101000011
82.30	1860	11101000100
82.35	1861	11101000101
82.40	1862	11101000110
82.45	1863	11101000111
82.50	1864	11101001000
82.55	1865	11101001001
82.60	1866	11101001010
82.65	1867	11101001011
82.70	1868	11101001100
82.75	1869	11101001101
82.80	1870	11101001110

Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
82.85	1871	11101001111
82.90	1872	11101010000
82.95	1873	11101010001
83.00	1874	11101010010
83.05	1875	11101010011
83.10	1876	11101010100
83.15	1877	11101010101
83.20	1878	11101010110
83.25	1879	11101010111
83.30	1880	11101011000
83.35	1881	11101011001
83.40	1882	11101011010
83.45	1883	11101011011
83.50	1884	11101011100
83.55	1885	11101011101
83.60	1886	11101011110
83.65	1887	11101011111
83.70	1888	11101100000
83.75	1889	11101100001
83.80	1890	11101100010
83.85	1891	11101100011
83.90	1892	11101100100
83.95	1893	11101100101
84.00	1894	11101100110
84.05	1895	11101100111
84.10	1896	11101101000
84.15	1897	11101101001
84.20	1898	11101101010
84.25	1899	11101101011
84.30	1900	11101101100
84.35	1901	11101101101
84.40	1902	11101101110
84.45	1903	11101101111
84.50	1904	11101110000
84.55	1905	11101110001
84.60	1906	11101110010
84.65	1907	11101110011
84.70	1908	11101110100
84.75	1909	11101110101
84.80	1910	11101110110
84.85	1911	11101110111
84.90	1912	11101111000
84.95	1913	11101111001
85.00	1914	11101111010
85.05	1915	11101111011
85.10	1916	11101111100
85.15	1917	11101111101

Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
85.20	1918	11101111110
85.25	1919	11101111111
85.30	1920	11110000000
85.35	1921	11110000001
85.40	1922	11110000010
85.45	1923	11110000011
85.50	1924	11110000100
85.55	1925	11110000101
85.60	1926	11110000110
85.65	1927	11110000111
85.70	1928	11110001000
85.75	1929	11110001001
85.80	1930	11110001010
85.85	1931	11110001011
85.90	1932	11110001100
85.95	1933	11110001101
86.00	1934	11110001110
86.05	1935	11110001111
86.10	1936	11110010000
86.15	1937	11110010001
86.20	1938	11110010010
86.25	1939	11110010011
86.30	1940	11110010100
86.35	1941	11110010101
86.40	1942	11110010110
86.45	1943	11110010111
86.50	1944	11110011000
86.55	1945	11110011001
86.60	1946	11110011010
86.65	1947	11110011011
86.70	1948	11110011100
86.75	1949	11110011101
86.80	1950	11110011110
86.85	1951	11110011111
86.90	1952	11110100000
86.95	1953	11110100001
87.00	1954	11110100010
87.05	1955	11110100011
87.10	1956	11110100100
87.15	1957	11110100101
87.20	1958	11110100110
87.25	1959	11110100111
87.30	1960	11110101000
87.35	1961	11110101001
87.40	1962	11110101010
87.45	1963	11110101011
87.50	1964	11110101100



Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
87.55	1965	11110101101
87.60	1966	11110101110
87.65	1967	11110101111
87.70	1968	11110110000
87.75	1969	11110110001
87.80	1970	11110110010
87.85	1971	11110110011
87.90	1972	11110110100
87.95	1973	11110110101
88.00	1974	11110110110
88.05	1975	11110110111
88.10	1976	11110111000
88.15	1977	11110111001
88.20	1978	11110111010
88.25	1979	11110111011
88.30	1980	11110111100
88.35	1981	11110111101
88.40	1982	11110111110
88.45	1983	11110111111
88.50	1984	11111000000
88.55	1985	11111000001
88.60	1986	11111000010
88.65	1987	11111000011
88.70	1988	11111000100
88.75	1989	11111000101
88.80	1990	11111000110
88.85	1991	11111000111
88.90	1992	11111001000
88.95	1993	11111001001
89.00	1994	11111001010
89.05	1995	11111001011
89.10	1996	11111001100
89.15	1997	11111001101
89.20	1998	11111001110
89.25	1999	11111001111
89.30	2000	11111010000
89.35	2001	11111010001
89.40	2002	11111010010
89.45	2003	11111010011
89.50	2004	11111010100
89.55	2005	11111010101
89.60	2006	11111010110
89.65	2007	11111010111
89.70	2008	11111011000
89.75	2009	11111011001
89.80	2010	11111011010
89.85	2011	11111011011

Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
89.90	2012	11111011100
89.95	2013	11111011101
90.00	2014	11111011110
90.05	2015	11111011111
90.10	2016	11111100000
90.15	2017	11111100001
90.20	2018	11111100010
90.25	2019	11111100011
90.30	2020	11111100100
90.35	2021	11111100101
90.40	2022	11111100110
90.45	2023	11111100111
90.50	2024	11111101000
90.55	2025	11111101001
90.60	2026	11111101010
90.65	2027	11111101011
90.70	2028	11111101100
90.75	2029	11111101101
90.80	2030	11111101110
90.85	2031	11111101111
90.90	2032	11111110000
90.95	2033	11111110001
91.00	2034	11111110010
91.05	2035	11111110011
91.10	2036	11111110100
91.15	2037	11111110101
91.20	2038	11111110110
91.25	2039	11111110111
91.30	2040	11111111000
91.35	2041	11111111001
91.40	2042	11111111010
91.45	2043	11111111011
91.50	2044	11111111100
91.55	2045	11111111101
91.60	2046	11111111110
91.65	2047	11111111111
91.70	2048	10000000000
91.75	2049	10000000001
91.80	2050	10000000010
91.85	2051	10000000011
91.90	2052	10000000100
91.95	2053	10000000101
92.00	2054	10000000110
92.05	2055	10000000111
92.10	2056	10000001000
92.15	2057	10000001001
92.20	2058	10000001010

Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
92.25	2059	10000001011
92.30	2060	10000001100
92.35	2061	10000001101
92.40	2062	10000001110
92.45	2063	10000001111
92.50	2064	10000010000
92.55	2065	10000010001
92.60	2066	10000010010
92.65	2067	10000010011
92.70	2068	10000010100
92.75	2069	10000010101
92.80	2070	10000010110
92.85	2071	10000010111
92.90	2072	10000011000
92.95	2073	10000011001
93.00	2074	10000011010
93.05	2075	10000011011
93.10	2076	10000011100
93.15	2077	10000011101
93.20	2078	10000011110
93.25	2079	10000011111
93.30	2080	10000100000
93.35	2081	10000100001
93.40	2082	10000100010
93.45	2083	10000100011
93.50	2084	10000100100
93.55	2085	10000100101
93.60	2086	10000100110
93.65	2087	10000100111
93.70	2088	10000101000
93.75	2089	10000101001
93.80	2090	10000101010
93.85	2091	10000101011
93.90	2092	10000101100
93.95	2093	10000101101
94.00	2094	10000101110
94.05	2095	10000101111
94.10	2096	10000110000
94.15	2097	10000110001
94.20	2098	10000110010
94.25	2099	10000110011
94.30	2100	10000110100
94.35	2101	10000110101
94.40	2102	10000110110
94.45	2103	10000110111
94.50	2104	10000111000
94.55	2105	10000111001

Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
94.60	2106	100000111010
94.65	2107	100000111011
94.70	2108	100000111100
94.75	2109	100000111101
94.80	2110	100000111110
94.85	2111	100000111111
94.90	2112	100001000000
94.95	2113	100001000001
95.00	2114	100001000010
95.05	2115	100001000011
95.10	2116	100001000100
95.15	2117	100001000101
95.20	2118	100001000110
95.25	2119	100001000111
95.30	2120	100001001000
95.35	2121	100001001001
95.40	2122	100001001010
95.45	2123	100001001011
95.50	2124	100001001100
95.55	2125	100001001101
95.60	2126	100001001110
95.65	2127	100001001111
95.70	2128	100001010000
95.75	2129	100001010001
95.80	2130	100001010010
95.85	2131	100001010011
95.90	2132	100001010100
95.95	2133	100001010101
96.00	2134	100001010110
96.05	2135	100001010111
96.10	2136	100001011000
96.15	2137	100001011001
96.20	2138	100001011010
96.25	2139	100001011011
96.30	2140	100001011100
96.35	2141	100001011101
96.40	2142	100001011110
96.45	2143	100001011111
96.50	2144	100001100000
96.55	2145	100001100001
96.60	2146	100001100010
96.65	2147	100001100011
96.70	2148	100001100100
96.75	2149	100001100101
96.80	2150	100001100110
96.85	2151	100001100111
96.90	2152	100001101000

Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
96.95	2153	100001101001
97.00	2154	100001101010
97.05	2155	100001101011
97.10	2156	100001101100
97.15	2157	100001101101
97.20	2158	100001101110
97.25	2159	100001101111
97.30	2160	100001110000
97.35	2161	100001110001
97.40	2162	100001110010
97.45	2163	100001110011
97.50	2164	100001110100
97.55	2165	100001110101
97.60	2166	100001110110
97.65	2167	100001110111
97.70	2168	100001111000
97.75	2169	100001111001
97.80	2170	100001111010
97.85	2171	100001111011
97.90	2172	100001111100
97.95	2173	100001111101
98.00	2174	100001111110
98.05	2175	100001111111
98.10	2176	100010000000
98.15	2177	100010000001
98.20	2178	100010000010
98.25	2179	100010000011
98.30	2180	100010000100
98.35	2181	100010000101
98.40	2182	100010000110
98.45	2183	100010000111
98.50	2184	100010001000
98.55	2185	100010001001
98.60	2186	100010001010
98.65	2187	100010001011
98.70	2188	100010001100
98.75	2189	100010001101
98.80	2190	100010001110
98.85	2191	100010001111
98.90	2192	100010010000
98.95	2193	100010010001
99.00	2194	100010010010
99.05	2195	100010010011
99.10	2196	100010010100
99.15	2197	100010010101
99.20	2198	100010010110
99.25	2199	100010010111

Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
99.30	2200	100010011000
99.35	2201	100010011001
99.40	2202	100010011010
99.45	2203	100010011011
99.50	2204	100010011100
99.55	2205	100010011101
99.60	2206	100010011110
99.65	2207	100010011111
99.70	2208	100010100000
99.75	2209	100010100001
99.80	2210	100010100010
99.85	2211	100010100011
99.90	2212	100010100100
99.95	2213	100010100101
100.00	2214	100010100110
100.05	2215	100010100111
100.10	2216	100010101000
100.15	2217	100010101001
100.20	2218	100010101010
100.25	2219	100010101011
100.30	2220	100010101100
100.35	2221	100010101101
100.40	2222	100010101110
100.45	2223	100010101111
100.50	2224	100010110000
100.55	2225	100010110001
100.60	2226	100010110010
100.65	2227	100010110011
100.70	2228	100010110100
100.75	2229	100010110101
100.80	2230	100010110110
100.85	2231	100010110111
100.90	2232	100010111000
100.95	2233	100010111001
101.00	2234	100010111010
101.05	2235	100010111011
101.10	2236	100010111100
101.15	2237	100010111101
101.20	2238	100010111110
101.25	2239	100010111111
101.30	2240	100011000000
101.35	2241	100011000001
101.40	2242	100011000010
101.45	2243	100011000011
101.50	2244	100011000100
101.55	2245	100011000101
101.60	2246	100011000110

Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
101.65	2247	100011000111
101.70	2248	100011001000
101.75	2249	100011001001
101.80	2250	100011001010
101.85	2251	100011001011
101.90	2252	100011001100
101.95	2253	100011001101
102.00	2254	100011001110
102.05	2255	100011001111
102.10	2256	100011010000
102.15	2257	100011010001
102.20	2258	100011010010
102.25	2259	100011010011
102.30	2260	100011010100
102.35	2261	100011010101
102.40	2262	100011010110
102.45	2263	100011010111
102.50	2264	100011011000
102.55	2265	100011011001
102.60	2266	100011011010
102.65	2267	100011011011
102.70	2268	100011011100
102.75	2269	100011011101
102.80	2270	100011011110
102.85	2271	100011011111
102.90	2272	100011100000
102.95	2273	100011100001
103.00	2274	100011100010
103.05	2275	100011100011
103.10	2276	100011100100
103.15	2277	100011100101
103.20	2278	100011100110
103.25	2279	100011100111
103.30	2280	100011101000
103.35	2281	100011101001
103.40	2282	100011101010
103.45	2283	100011101011
103.50	2284	100011101100
103.55	2285	100011101101
103.60	2286	100011101110
103.65	2287	100011101111
103.70	2288	100011110000
103.75	2289	100011110001
103.80	2290	100011110010
103.85	2291	100011110011
103.90	2292	100011110100
103.95	2293	100011110101

Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
104.00	2294	100011110110
104.05	2295	100011110111
104.10	2296	100011111000
104.15	2297	100011111001
104.20	2298	100011111010
104.25	2299	100011111011
104.30	2300	100011111100
104.35	2301	100011111101
104.40	2302	100011111110
104.45	2303	100011111111
104.50	2304	100100000000
104.55	2305	100100000001
104.60	2306	100100000010
104.65	2307	100100000011
104.70	2308	100100000100
104.75	2309	100100000101
104.80	2310	100100000110
104.85	2311	100100000111
104.90	2312	100100001000
104.95	2313	100100001001
105.00	2314	100100001010
105.05	2315	100100001011
105.10	2316	100100001100
105.15	2317	100100001101
105.20	2318	100100001110
105.25	2319	100100001111
105.30	2320	100100010000
105.35	2321	100100010001
105.40	2322	100100010010
105.45	2323	100100010011
105.50	2324	100100010100
105.55	2325	100100010101
105.60	2326	100100010110
105.65	2327	100100010111
105.70	2328	100100011000
105.75	2329	100100011001
105.80	2330	100100011010
105.85	2331	100100011011
105.90	2332	100100011100
105.95	2333	100100011101
106.00	2334	100100011110
106.05	2335	100100011111
106.10	2336	100100100000
106.15	2337	100100100001
106.20	2338	100100100010
106.25	2339	100100100011
106.30	2340	100100100100



Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
106.35	2341	100100100101
106.40	2342	100100100110
106.45	2343	100100100111
106.50	2344	100100101000
106.55	2345	100100101001
106.60	2346	100100101010
106.65	2347	100100101011
106.70	2348	100100101100
106.75	2349	100100101101
106.80	2350	100100101110
106.85	2351	100100101111
106.90	2352	100100110000
106.95	2353	100100110001
107.00	2354	100100110010
107.05	2355	100100110011
107.10	2356	100100110100
107.15	2357	100100110101
107.20	2358	100100110110
107.25	2359	100100110111
107.30	2360	100100111000
107.35	2361	100100111001
107.40	2362	100100111010
107.45	2363	100100111011
107.50	2364	100100111100
107.55	2365	100100111101
107.60	2366	100100111110
107.65	2367	100100111111
107.70	2368	100101000000
107.75	2369	100101000001
107.80	2370	100101000010
107.85	2371	100101000011
107.90	2372	100101000100
107.95	2373	100101000101
108.00	2374	100101000110
108.05	2375	100101000111
108.10	2376	100101001000
108.15	2377	100101001001
108.20	2378	100101001010
108.25	2379	100101001011
108.30	2380	100101001100
108.35	2381	100101001101
108.40	2382	100101001110
108.45	2383	100101001111
108.50	2384	100101010000
108.55	2385	100101010001
108.60	2386	100101010010
108.65	2387	100101010011

Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
108.70	2388	100101010100
108.75	2389	100101010101
108.80	2390	100101010110
108.85	2391	100101010111
108.90	2392	100101011000
108.95	2393	100101011001
109.00	2394	100101011010
109.05	2395	100101011011
109.10	2396	100101011100
109.15	2397	100101011101
109.20	2398	100101011110
109.25	2399	100101011111
109.30	2400	100101100000
109.35	2401	100101100001
109.40	2402	100101100010
109.45	2403	100101100011
109.50	2404	100101100100
109.55	2405	100101100101
109.60	2406	100101100110
109.65	2407	100101100111
109.70	2408	100101101000
109.75	2409	100101101001
109.80	2410	100101101010
109.85	2411	100101101011
109.90	2412	100101101100
109.95	2413	100101101101
110.00	2414	100101101110
110.05	2415	100101101111
110.10	2416	100101110000
110.15	2417	100101110001
110.20	2418	100101110010
110.25	2419	100101110011
110.30	2420	100101110100
110.35	2421	100101110101
110.40	2422	100101110110
110.45	2423	100101110111
110.50	2424	100101111000
110.55	2425	100101111001
110.60	2426	100101111010
110.65	2427	100101111011
110.70	2428	100101111100
110.75	2429	100101111101
110.80	2430	100101111110
110.85	2431	100101111111
110.90	2432	100110000000
110.95	2433	100110000001
111.00	2434	100110000010

Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
111.05	2435	100110000011
111.10	2436	100110000100
111.15	2437	100110000101
111.20	2438	100110000110
111.25	2439	100110000111
111.30	2440	100110001000
111.35	2441	100110001001
111.40	2442	100110001010
111.45	2443	100110001011
111.50	2444	100110001100
111.55	2445	100110001101
111.60	2446	100110001110
111.65	2447	100110001111
111.70	2448	100110010000
111.75	2449	100110010001
111.80	2450	100110010010
111.85	2451	100110010011
111.90	2452	100110010100
111.95	2453	100110010101
112.00	2454	100110010110
112.05	2455	100110010111
112.10	2456	100110011000
112.15	2457	100110011001
112.20	2458	100110011010
112.25	2459	100110011011
112.30	2460	100110011100
112.35	2461	100110011101
112.40	2462	100110011110
112.45	2463	100110011111
112.50	2464	100110100000
112.55	2465	100110100001
112.60	2466	100110100010
112.65	2467	100110100011
112.70	2468	100110100100
112.75	2469	100110100101
112.80	2470	100110100110
112.85	2471	100110100111
112.90	2472	100110101000
112.95	2473	100110101001
113.00	2474	100110101010
113.05	2475	100110101011
113.10	2476	100110101100
113.15	2477	100110101101
113.20	2478	100110101110
113.25	2479	100110101111
113.30	2480	100110110000
113.35	2481	100110110001

Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
113.40	2482	100110110010
113.45	2483	100110110011
113.50	2484	100110110100
113.55	2485	100110110101
113.60	2486	100110110110
113.65	2487	100110110111
113.70	2488	100110111000
113.75	2489	100110111001
113.80	2490	100110111010
113.85	2491	100110111011
113.90	2492	100110111100
113.95	2493	100110111101
114.00	2494	100110111110
114.05	2495	100110111111
114.10	2496	100111000000
114.15	2497	100111000001
114.20	2498	100111000010
114.25	2499	100111000011
114.30	2500	100111000100
114.35	2501	100111000101
114.40	2502	100111000110
114.45	2503	100111000111
114.50	2504	100111001000
114.55	2505	100111001001
114.60	2506	100111001010
114.65	2507	100111001011
114.70	2508	100111001100
114.75	2509	100111001101
114.80	2510	100111001110
114.85	2511	100111001111
114.90	2512	100111010000
114.95	2513	100111010001
115.00	2514	100111010010
115.05	2515	100111010011
115.10	2516	100111010100
115.15	2517	100111010101
115.20	2518	100111010110
115.25	2519	100111010111
115.30	2520	100111011000
115.35	2521	100111011001
115.40	2522	100111011010
115.45	2523	100111011011
115.50	2524	100111011100
115.55	2525	100111011101
115.60	2526	100111011110
115.65	2527	100111011111
115.70	2528	100111100000

Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
115.75	2529	100111100001
115.80	2530	100111100010
115.85	2531	100111100011
115.90	2532	100111100100
115.95	2533	100111100101
116.00	2534	100111100110
116.05	2535	100111100111
116.10	2536	100111101000
116.15	2537	100111101001
116.20	2538	100111101010
116.25	2539	100111101011
116.30	2540	100111101100
116.35	2541	100111101101
116.40	2542	100111101110
116.45	2543	100111101111
116.50	2544	100111110000
116.55	2545	100111110001
116.60	2546	100111110010
116.65	2547	100111110011
116.70	2548	100111110100
116.75	2549	100111110101
116.80	2550	100111110110
116.85	2551	100111110111
116.90	2552	100111111000
116.95	2553	100111111001
117.00	2554	100111111010
117.05	2555	100111111011
117.10	2556	100111111100
117.15	2557	100111111101
117.20	2558	100111111110
117.25	2559	100111111111
117.30	2560	101000000000
117.35	2561	101000000001
117.40	2562	101000000010
117.45	2563	101000000011
117.50	2564	101000000100
117.55	2565	101000000101
117.60	2566	101000000110
117.65	2567	101000000111
117.70	2568	101000001000
117.75	2569	101000001001
117.80	2570	101000001010
117.85	2571	101000001011
117.90	2572	101000001100
117.95	2573	101000001101
118.00	2574	101000001110
118.05	2575	101000001111

Fréquence réception	Valeur décimale du synthétiseur	Valeur Binaire pour synthétiseur
118.10	2576	101000010000
118.15	2577	101000010001
118.20	2578	101000010010
118.25	2579	101000010011
118.30	2580	101000010100
118.35	2581	101000010101
118.40	2582	101000010110
118.45	2583	101000010111
118.50	2584	101000011000
118.55	2585	101000011001
118.60	2586	101000011010
118.65	2587	101000011011
118.70	2588	101000011100
118.75	2589	101000011101
118.80	2590	101000011110
118.85	2591	101000011111
118.90	2592	101000100000
118.95	2593	101000100001
119.00	2594	101000100010
119.05	2595	101000100011
119.10	2596	101000100100
119.15	2597	101000100101
119.20	2598	101000100110
119.25	2599	101000100111
119.30	2600	101000101000
119.35	2601	101000101001
119.40	2602	101000101010
119.45	2603	101000101011
119.50	2604	101000101100
119.55	2605	101000101101
119.60	2606	101000101110
119.65	2607	101000101111
119.70	2608	101000110000
119.75	2609	101000110001
119.80	2610	101000110010
119.85	2611	101000110011
119.90	2612	101000110100
119.95	2613	101000110101